## **Urology Order Form**

**Referral Information:** 



| ybyraiii   | Email to:<br>Fax to:                            |                | or  | Number: _<br>Name:   |                    |
|--|---|----------------|---|--|--------------------|
| -Step 1: Patient Information   |   |                |   |  |                    |
| First Name:  |   | Last Name      |   |  |                    |
| DOB:   | Gender:   | Male           | Female  |  |                    |
| Address:   |   |                |   | State:   | Zip Code:          |
| Phone Number:  |   |                |   |  |                    |
| NOTE: Please Include Patient Demographics P  |   |                |   |  |                    |
| -Step 2: Insurance   |   |                | Step 4: Dispens   | sing ————  |                    |
| Primary: Policy/ID #:  |   |                | Start Date:   |  |                    |
| <b>Secondary:</b> Policy/ID #:   |   | Phone:         | Duration:   |  |                    |
| Step 3: Diagnosis  |   |                |   | 99 (lifetim  | e)                 |
| Primary: R33.9 Retention of Urine R32 Urinary Incontinence   |   |                |   | 12 month   | S                  |
| Other:   |   |                | Other: Months   |  |                    |
| Casandamii   |   | Otilo1:        | WOTHIS  |  |                    |
| Secondary:   |   |                |   |  |                    |
| Does the Patient currently have Chronic or F Yes No <b>NOTE: Please inc</b>  | Permanent Urinary Inc<br>clude pateint progress |                | etention not to be o  | corrected in the nex   | t 90 days?         |
| -Step 5: Recommended Supplies  |   |                |   |  |                    |
| Intermittent Catheters   |   | Brand/Item     | French Size   | Frequency  | per Day (Required) |
| Intermittent Urinary Catheter (A4351)  |   |                | 8 FR<br>10 FR   | 2 per day/60 month/180 per 3 months<br>3 per day/90 month/270 per 3 months |                    |
| Intermittent Urinary Catheter: Coude Tip   |   | 12 FR<br>14 FR | 4 per day/120 month/360 per 3 months 5 per day/150 month/450 per 3 months |  |                    |
| Intermittent Urinary Catheter with Insertio<br>Straight Coude Tip  |   | 16 FR<br>Other | 6 per day/180 month/540 per 3 months<br>Other                             |  |                    |
| Urological Items   |   | Brand/Item     | French Size   | Quantity/Month   | Frequency of Use   |
| Male External Catheters  |   |                |   |  |                    |
| Leg Bag  |   |                |   |  |                    |
| Foley Catheter Two-way Three-Way   | Latex Silicone                                  |                |   |  |                    |
| Foley Insertion Trays w/bag  | w/o bag   |                |   |  |                    |
| Lubricant packets  | tube  |                |   |  |                    |
| Other  |   |                |   |  |                    |
| Incontinence Items   | Size/Type                                       | Quantity/Month | Frequency of Use  |  |                    |
| Briefs Pullups Other:  | Liners  |                |   |  |                    |
| Step 6: Prescribers Information  |   |                |   |  |                    |
| Name:  |   | NPI #:         |   |  |                    |
| Licensed Healthcare Provider's Acknowledgement: My signal is being treated by me and I have seen the patient in the last the prescription of the supplies above and my signature align | t 6 months. The patient is info                 |                |   |  |                    |
| Provider Signature: Date:  |   |                |   |  |                    |
|  |   |                |   |  |                    |

| ICD-9<br>Code | ICD-10<br>Code | Diagnosis Description                            |  |
|---------------|----------------|--|--|
| 340           | G35            | Multiple sclerosis                               |  |
| 344.0         | G82.5          | Quadriplegia                                     |  |
| 344.1         | G82.2          | Paraplegia                                       |  |
| 344.6         | G83.4          | Cauda equina syndrome                            |  |
| 344.61        | G83.4          | Cauda equina syndrome with neurogenic bladder    |  |
| 564.81        | K59.2          | Neurogenic bowel                                 |  |
| 595.1         | N30.1          | Chronic interstitial cystitis                    |  |
| 596.0         | N32.0          | Bladder neck obstruction                         |  |
| 596.4         | N31.2          | Atony of bladder                                 |  |
| 596.54        | N31.9          | Neurogenic bladder                               |  |
| 598           | N35            | Urethral stricture                               |  |
| 599.0         | N39.0          | Urinary tract infection                          |  |
| 599.60        | N13.9          | Urinary obstruction, unspecified                 |  |
| 600.0         | N40            | Hypertrophy (benign) of prostate                 |  |
| 741           | Q05            | Spina bifida                                     |  |
| 741.0         | Q05.4          | Spina bifida with hydrocephalus                  |  |
| 741.90        | Q05.8          | Spina bifida without hyrocephalus                |  |
| 753.5         | Q64.1          | Exstrophy of urinary bladder                     |  |
| 753.6         | Q64.3          | Atresia and stenosis of urethra and bladder neck |  |
| 788.1         | R30.0          | Dysuria  |  |
| 788.20        | R33.9          | Retention of urine, unspecified                  |  |
| 788.21        | R39.14         | Incomplete bladder emptying                      |  |
| 788.29        | R33.8          | Other specified retention of urine               |  |
| 788.30        | R32            | Urinary incontinence, unspecified                |  |
| 788.33        | N39.46         | Mixed incontinence (urge & stress, female & male |  |
| 788.34        | N39.42         | Incontinence without sensory awareness           |  |

| ICD-9<br>Code | ICD-10<br>Code | Diagnosis Description   |  |
|---------------|----------------|---|--|
| 788.35        | N39.43         | Post-void dribbling   |  |
| 788.36        | N39.44         | Nocturnal enuresis  |  |
|               |                |   |  |
| 788.37        | N39.45         | Continuous leakage  |  |
| 788.38        | N39.490        | Overflow incontinence   |  |
| 788.39        | N39.498        | Other urinary incontinence  |  |
| 788.41        | R35.0          | Urinary frequency   |  |
| 788.43        | R35.1          | Nocturia  |  |
| 788.62        | R39.12         | Slowing of urinary stream   |  |
| 788.63        | R39.15         | Urgency of urination  |  |
| 625.6         | N39.3          | Stress incontinence, female                                       |  |
| 788.32        | N39.3          | Stress incontinence, male   |  |
| V44.2         | Z93.2          | Ileostomy status  |  |
| V44.3         | Z93.3          | Colostomy status  |  |
| V44.52        | Z93.52         | Appendico-vesicostomy status                                      |  |
| V44.6         | Z93.6          | Other artificial opening of urinary tract status                  |  |
| V55.2         | Z43.2          | Attention to ileostomy  |  |
| V55.3         | Z43.3          | Attention to colostomy  |  |
| V55.6         | Z43.6          | Attention to other artificial opening of urinary tract            |  |
| 591           | N13.30         | Hydronephrosis  |  |
| 596.51        | N32.81         | Hypertonicity of bladder  |  |
| 600.01        | N40.1          | Hypertrophy (benign) of prostate with urinary obstruction         |  |
| 600.21        | N40.1          | Benign localized hyperplasia of prostate with urinary obstruction |  |
| 788.69        | R39.19         | Other abnormality of urination, other                             |  |
| V43.5         | Z96.0          | Bladder replaced by other means                                   |  |

## **Documentation Requirements for Medicare Patients**

When a Medicare patient is prescribed Intermittent Catheters, Medicare requires DME suppliers like Byram to include the following information for the products to be shipped in a timely manner.

- **Permanency:** Medicare de ines permanency as a condition that is not expected to be correct within 3 months
- **Diagnosis:** Urological diagnosis
- Plan of treatment: Ordered item and Frequency
- History: Duration of patient's condition

**Note:** The above information is provided for reference only and is not intended as advice or instructions on how to complete the patient's standard written order.

Reference: Local Coverage Determination (LCD) Urology Supplies http://www.icd9data.com/



